



1401 St. Charles Road
Maywood, IL 60153

PRSR STD
U.S. POSTAGE
PAID
Permit #225
PALATINE, IL



DECEMBER
VALUES
FROM



Pricing good through 12/30/05 or while supplies last.

MDF PANELS



Arauco is the largest forestry enterprise in South America and one of the largest in the world in terms of plantation size, kraft pulp, sawn timber and panel production.

Arauco's timberlands total of more than 1,100,000 há. and consist of plantations, native forestlands and protected areas. In Chile, the company's holding include approximately 600,000 há. of managed Radiata Pine plantations.

The company produces medium density fiberboard (MDF) through its Trupan division. With the recent construction of two new MDF plants, Trupan's planned annual capacity will increase from 150,000 m³ per year to 650,000 m³.

These two new continuous press plants will allow Trupan to produce various densities of MDF (e.g. standard, light and ultralight) in a wide variety of thicknesses ranging from 1/8" to 2" and sizes.

Trupan MDF boards is produced from fresh, debarked Pine logs harvested from Arauco's own company managed plantations. Due to the excellent quality of our 100% softwood raw material, Trupan MDF is exceptionally easy to machine and has excellent edge profiling characteristics. Its smooth, uniform surface offers exceptional performance for both painting and laminating applications. It is ideal material for use in furniture, RV, and fixture industries.

TRUPAN STANDARD: Fiber Board with an average of 45lbs/ft³ (720 kgs/m³) of density, ideal for uses that require demanding physical-mechanical properties. Applications: Furniture, laminating, fixture, mouldings, doors and others.

TRUPAN LIGHT: Fiber Board with an average of 38lbs/ft³ (600 kgs/m³) of density, ideal for uses that require demanding physical-mechanical properties and less weight than standard MDF. Applications: Furniture, interior design, doors, fixture, RV, laminating, mouldings and others.

TRUPAN ULTRALIGHT: Fiber Board with an average of 32lbs/ft³ (500 kgs/m³) of density, ideal for uses where an extremely light weight material is requested. Applications: Furniture, mouldings, RV, suspended ceiling, indoor paneling, picture frames and others.

TRUPAN THIN MDF: Fiber Board with an average of 50lbs/ft³ (800 kgs/m³) of density.



Trupan Veneered application

Technical Specifications	Units	Standard			Light		Ultralight		
		3-5.5	9-20	25 -30	9 -20	25 -30	9 -20	25 -30	38 -50
Espesor									
Density	LB/Ft3	49.9	45	45	37.5	37.5	31.2	31.2	31.2
Internal Bond	PSI	145	131	116	116	116	187	73	73
Moisture Content	%	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
Hardness	ASTM	> 60	> 60	> 60	> 60	> 60	> 60	> 60	> 60
M.O.E.	PSI	422,144	464,128	464,128	406,112	406,112	319,088	319,088	261,172
M.O.R.	PSI	6,527	5,511	5,511	5,221	5,221	4,061	4,061	3,626
Water Absorption (24 hrs.)	%	< 30	< 20	< 15	< 18	< 12	< 22	< 15	< 15
Thickness Swell	%	< 12	< 7	< 7	< 8	< 5	< 8.5	< 5.5	< 5.0
F. Emission E1	ppm	< .01	< .01	< .01	< .01	< .01	< .01	< .01	< .01
F. Emission E2	ppm	< .03	< .03	< .03	< .03	< .03	< .03	< .03	< .03
Edge Screw Holding	Lb.	-	247	247	191	191	146	146	135
Face Screw Holding	Lb.	-	337	337	247	247	180	180	180
Dimensional Stability									
Thickness	mm	±0.15	±0.15	±0.15	±0.15	±0.15	±0.15	±0.15	±0.15
Length/width	mm	±2	±2	±2	±2	±2	±2	±2	±2
Squareness	mm/M	±2	±2	±2	±2	±2	±2	±2	±2

Aetna Plywood, your complete source for Duraflake Fire-rated Duraflake Particleboard: MADE IN THE USA!!

Basic Use: Duraflake FR is a class 1 rated fire retardant particleboard, suitable for a variety of industrial and commercial building applications where stringent building codes and public safety requirements are a factor. It can be drilled, routed, bullnosed, beveled and precision-machined. It is used as a substrate for wood veneers, high and low pressure laminates, as well as thin roll laminates. Laminated panels are then used in a wide variety of applications such as malls, offices, commercial case goods, hospitals, hotels, restaurants and any application where fire retardancy is a concern.

Composition and Materials: Duraflake FR is made from western softwood particles and highly effective fire retardant chemicals bonded with special formulas of resins and waxes.

WITH OVER 100,000 SQUARE FEET OF FR IN STOCK, AETNA'S GOT YOU COVERED.

- 1/2" 4 x 8
- 1/2" 4 x 10
- 5/8" 4 x 8
- 11/16" 4 x 8
- 11/16" 4 x 10
- 3/4" 4 x 8
- 3/4" 4 x 10
- 3/4" 5 x 8
- 3/4" 5 x 12
- 1" 4 x 8

FIRE RATED MDF

FR MDF was developed specifically to meet the requirements of Class 1 fire retardation in accordance with UL Flame rating, while delivering performance and environmental features previously unavailable in an FR material.

Applications: FR MDF allows users to meet stricter building codes, reducing liability exposure and providing safer work places and living environments. It is the material choice for:

- Fire rated doors
- Raised floors
- Wall systems
- Elevator cabs
- Furniture and cabinetry
- Shelving and counter tops
- Mouldings
- Architectural millwork

NOW IN-STOCK

DRIVE™ Dedication • Resource • Inventory • Value-added • Experience

for information, contact YOUR aetna Plywood representative AT 708-343-1515
FAX your orders to (wood) 708-343-1616 or (laminates) 708-343-1333.

Superlight MDF

Superlight MDF is the lightweight MDF with the heavyweight advantages. It offers homogeneous edges, smooth surface and high dimensional stability. Plus, all the ease of finishing and machinability you expect from MDF.

- Produced from self-sustainable Radiata Pine by-products, using state-of-the-art technology that makes intelligent, effective and environmentally-sound use of forest and mill by-products.

Applications:

Furniture and furniture components, casing and decorative finishes. Mobile homes or boat interiors, displays, and exhibition booths.

Fastening:

Straight shank (parallel thread) screws; ring-shank nails fixed slightly slanted to the surface; grooved dowels, staples and glues are recommended. Fasteners should be at least 1" from corners.

We've Expanded Our Inventory!

Superlight MDF

CODE	ITEM	Weight	Weight of Regular MDF
39 14 543	12mm 48 x 96	1.245/SF	2.17/SF
39 14 544	1/2" (12mm) 60 x 96	1.245/SF	2.17/SF
39 14 545	1/2" (12mm) 48 x 120	1.245/SF	2.17/SF
39 18 800	5/8" (15mm) 48 x 96	1.555/SF	2.71/SF
39 22 543	18mm 48 x 96	1.865/SF	3.10/SF
39 22 544	NEW 18mm 60 x 96	1.865/SF	3.10/SF
39 22 545	NEW 18mm 48 x 120	1.865/SF	3.10/SF
39 28 543	NEW 25mm 48 x 96	2.59/SF	4.17/SF
39 32 543	NEW 30mm 48 x 96	3.11/SF	4.68/SF
39 40 570	NEW 38mm 48 x 96	3.94/SF	5.914/SF
39 40 571	NEW 45mm 48 x 96	4.665/SF	6.708/SF
39 40 569	NEW 50mm 48 x 96	5.183/SF	7.667/SF

Pricing good through December 30, 2005 as supplies last.

DRIVE™ Dedication • Resource • Inventory • Value-added • Experience

for information, contact YOUR aetna Plywood representative AT 708-343-1515
 FAX your orders to (wood) 708-343-1616 or (laminates) 708-343-1333.

PLUM CREEK ULTRA-CORE MDO IN STOCK

CODE	ITEM	PCS	LESS UNIT	1 UNIT +
11 12 540	3/8" 4 x 8 MDO 1 side Primed 1 side	80	\$35.60 ea	\$32.00 ea
11 12 740	3/8" 4 x 10 MDO 1 side Primed 1 side	80	\$51.15	\$46.50
11 14 540	1/2" 4 x 8 MDO 1 side Primed 1 side	60	\$42.95	\$38.95
11 14 740	1/2" 4 x 10 MDO 1 side Primed 1 side	60	\$61.85	\$56.85
11 14 546	1/2" 4 x 8 MDO 1 side	60	\$40.10	\$36.35
11 14 715	1/2" 4 x 10 MDO 1 side	60	\$54.45	\$50.65
11 22 546	3/4" 4 x 8 MDO 1 side	40	\$50.80	\$46.05
11 22 715	3/4" 4 x 10 MDO 1 side	40	\$69.95	\$65.05

All with a Balancing "Brown Paper Backer"

Unique Product: Ultra-Core MDO.

Plum Creek plywood is constructed from prime inland Group 1 western softwood veneers known for their tight grain and small knots. Furthermore, Plum Creek's Ultra-Core technology creates continuous, composed crossband veneers for virtually "gap-and-lap-free" cores.

Plum Creek's Ultra-Core MDO is the result of pre-composed crossband cores and an automated lay up process that together minimize core gaps and provide consistently high levels of core integrity. Merchantability, weatherability, durability and thickness tolerance are all enhanced compared to conventional MDO cores.

Plum Creek Ultra-Core MDO gives you what you're looking for:

- Inland western softwood species, featuring tighter grain for higher strength and weatherability.
- Ultra-Core construction means fewer and smaller gaps for increased strength, durability and minimal core telegraphing.
- 2-step overlay process means smoother, more consistent faces.
- Dedicated MDO press allows controlled production runs for greater quality and consistency.

Paint/Lamination/Cut-up Applications

- Ultra-Core construction reduces core voids and gaps to minimize waste in cut parts and increase weatherability and durability.
- 2-step face construction and dedicated press assure consistently high levels of face smoothness for paint and lamination.

* Pricing based on buying full units or all quantities available. Subject to availability

Pricing good through December 30, 2005 as supplies last.


DRIVE™ Dedication • Resource • Inventory • Value-added • Experience

for information, contact YOUR aetna Plywood representative AT 708-343-1515
FAX your orders to (wood) 708-343-1616 or (lamine) 708-343-1333.

Wiggle Wood®

HIGH QUALITY • FLEXIBLE • LIGHT WEIGHT

Wigglewood® provides maximum flexibility to conform to many shapes. It has numerous applications and capabilities for many industries. An easy to use panel which can be used on the job-site with no special tools.



Wiggle Wood® Import Bending Panel

SPECIALS

CODE	ITEM	PCS/Unit	PRICE		
			Pcs.	1/2 Unit	Unit
51 02 446	3.0mm 8x4 (4' high) Lite Wigglewood 3ply	100	.67/SF	.63/SF	.60/SF
51 02 448	3.0mm 4x8 (8' high) Lite Wigglewood 3ply	100	.67	.63	.60
51 02 440	3.0mm 10x4 (4' high) Lite Wigglewood 5ply	110	.92	.88	.85
51 08 446	5.5mm 8x4 (4' high) Wigglewood 3ply	110	.63	.60	.57
51 08 448	5.5mm 4x8 (8' high) Wigglewood 3ply	110	.63	.60	.57

Pricing good through December 30, 2005 as supplies last.

DRIVE™ Dedication • Resource • Inventory • Value-added • Experience

for information, contact YOUR aetna Plywood representative AT 708-343-1515
FAX your orders to (wood) 708-343-1616 or (laminates) 708-343-1333.



MEGANITE ACRYLIC SOLID SURFACE

NEW MEGANITE COLORS HAVE ARRIVED

Our new stone series featuring 7 great colors has Architects & Designers excited!

New Ice Series - Blue & Green

Contact your Sales Representative today to have us update your Participating Dealer Showrooms.



HOLIDAY SAVINGS

Cameo White #002 — \$209 each

Crystal Granite #672 — \$245 each

- Offered only to MEGANITE CERTIFIED FABRICATORS
- Quantity break available for large orders, check availability
- Limited to stock on hand, NO Back orders

Pricing good through December 30, 2005 as supplies last.

DRIVE™ Dedication • Resource • Inventory • Value-added • Experience

for information, contact YOUR aetna Plywood representative AT 708-343-1515
FAX your orders to (wood) 708-343-1616 or (laminates) 708-343-1333.



DECEMBER SPECIALS

CODE	ITEM	PRICE
------	------	-------

HARDWOOD LUMBER

18 05 442	25/32" x 5-1/2" S4S Red Oak	\$ 1.80/LF
18 16 134	25/32" x 1-3/4" x Soft Maple (5,000 LF) REDUCED AGAIN	\$.50/LF
18 01 425	15/16"#1 Comm Black Ash	\$ 1.25/BF
18 07 915	16/4 FAS Black Walnut	\$ 8.25/BF
18 09 407	15/16" Superior Alder	100 BF \$ 3.50/BF
18 09 420	25/32" SLR1E Alder	100 BF \$ 3.70/BF

CODE	ITEM	PRICING*
------	------	----------

PARTICLEBOARD, MDF, MELAMINE

		<u>1 unit</u>	<u>3 units</u>	<u>6 units</u>
35 22 540	3/4" 4 x 8 Surepine PB	\$13.60 ea.	\$12.60 ea.	\$12.10 ea.
39 22 539	3/4" 4 x 8 Malvern MDF	\$19.00	\$18.45	\$16.95
45 22 425	3/4" 4 x 8 Panolam S411 (2) Sides	\$20.50	\$19.25	\$19.00

- * Full units only
- * Pricing based on quantity per single delivery
- * Subject to prior sale
- * Pricing valid through December 30, 2005
- * Pricing good while supplies last

NEW PANOLAM MELAMINE

* Dusk to Dawn Collection *

CODE	ITEM**
------	--------

45 22 559	3/4" 4 x 8 Panolam W265 Twilight (2) Sides
45 22 542	3/4" 4 x 8 Panolam W340 Brown Pearwood (2) Sides
45 22 448	3/4" 4 x 8 Panolam W336 Sunset (2) Sides
45 22 449	3/4" 4 x 8 Panolam W338 Sunrise (2) Sides

- ** All above in-stock
- ** Call for your **FREE** sample boxes

Pricing good through December 30, 2005 as supplies last.

DRIVE™ Dedication • Resource • Inventory • Value-added • Experience

for information, contact YOUR aetna Plywood representative AT 708-343-1515
FAX your orders to (wood) 708-343-1616 or (lamine) 708-343-1333.

Wilsonart®
High Definition Laminate



High Definition
High Drama
High Durability

- Wilsonart®HD High Definition Laminate delivers three times the wear-resistance of the industry standard which means *high performance*.
- Twenty-first century science and design have come together to create totally new laminate surfaces that *challenge comparison*.
- Deep, luxurious looks, simply *no other surface like it*.

DEEPSTAR

HIGH DEFINITION LAMINATE



- Deepstar is the 1st Wilsonart®HD Laminate – Eight *decorating options* with a *subtle matte and gloss finish* to make the visual connection to nature's own stone and mineral surfaces.
- Simply, *no other surface like it!*

COMPLETE THE LOOK WITH DECORATIVE EDGING

- All eight Deepstar patterns are **IN STOCK** with our *Bevel Edge Program*.
- Bevel Edges offer *the finishing touch* to the luxurious Deepstar design.
- 37 options *now in stock!*



Mystique – Mesa Granite – Topaz – Fusion – and now Deepstar

Pricing good through December 30, 2005 as supplies last.

DRIVE™ Dedication • Resource • Inventory • Value-added • Experience

for information, contact YOUR aetna Plywood representative AT 708-343-1515
FAX your orders to (wood) 708-343-1616 or (laminates) 708-343-1333.



We've got it like no other company in the business.

///D.R.I.V.E.™ *Dedication • Resource • Inventory • Value-added • Experience*