



1401 St. Charles Road
Maywood, IL 60153



AUGUST VALUES FROM



Pricing good through 8/31/11 or while supplies last.

PLUM CREEK ULTRA-CORE MDO IN STOCK

CODE	ITEM	PCS	LESS UNIT	1 UNIT +
11 12 540	3/8" 4 x 8 MDO 1 side Primed 1 side	80	\$33.65 ea	\$31.50 ea
11 12 740	3/8" 4 x 10 MDO 1 side Primed 1 side	80	\$48.25	\$45.70
11 14 540	1/2" 4 x 8 MDO 1 side Primed 1 side	60	\$40.35	\$37.85
11 14 542	1/2" 4 x 8 MDO 2 sides Primed 2 sides	60	\$44.75	\$41.95
11 14 535	1/2" 4 x 10 MDO 2 sides Primed 2 sides	60	\$68.95	\$64.65
11 14 546	1/2" 4 x 8 MDO 1 side	60	\$36.75	\$34.50
11 14 548	1/2" 4 x 8 MDO 2 sides	60	\$38.95	\$36.50
11 14 715	1/2" 4 x 10 MDO 1 side	60	\$56.45	\$52.90
11 22 546	3/4" 4 x 8 MDO 1 side	40	\$46.95	\$44.00
11 22 548	3/4" 4 x 8 MDO 2 sides	40	\$48.00	\$45.00
11 22 715	3/4" 4 x 10 MDO 1 side	40	\$71.00	\$66.60
11 22 718	3/4" 4 x 10 MDO 2 sides	40	\$71.00	\$66.60

All 1 sided items with a Balancing "Brown Paper Backer"

Unique Product: Ultra-Core MDO.

Plum Creek plywood is constructed from prime inland Group 1 western softwood veneers known for their tight grain and small knots. Furthermore, Plum Creek's Ultra-Core technology creates continuous, composed crossband veneers for virtually "gap-and-lap-free" cores.

Plum Creek's Ultra-Core MDO is the result of pre-composed crossband cores and an automated lay up process that together minimize core gaps and provide consistently high levels of core integrity. Merchantability, weatherability, durability and thickness tolerance are all enhanced compared to conventional MDO cores.

Plum Creek Ultra-Core MDO gives you what you're looking for:

- Inland western softwood species, featuring tighter grain for higher strength and weatherability.
- Ultra-Core construction means fewer and smaller gaps for increased strength, durability and minimal core telegraphing.
- 2-step overlay process means smoother, more consistent faces.
- Dedicated MDO press allows controlled production runs for greater quality and consistency.

Paint/Lamination/Cut-up Applications

- Ultra-Core construction reduces core voids and gaps to minimize waste in cut parts and increase weatherability and durability.
- 2-step face construction and dedicated press assure consistently high levels of face smoothness for paint and lamination.

PLUM CREEK MDF SHOP SPECIALS

CODE	ITEM	PCS	PRICE
11 12 541	3/8" 4 x 8 MDO 1 side Primed 1 side Shop	116	\$24.00 ea
11 12 741	3/4" 4 x 10 MDO 1 side Primed 1 side Shop	21	\$35.00

* Pricing based on buying full units or all quantities available. Subject to availability

Pricing good through August 31, 2011 as supplies last.

***D.R.I.V.E.*™ Dedication • Resource • Inventory • Value-added • Experience**

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.

HARDWOOD PLYWOOD WITH A NEW CORE

A combination core made of veneer core and MDF crossbands providing the best of both worlds:

- **Lighter than MDF**
- **Does not telegraph like VC**
- **Better thickness control than VC**

IN STOCK

CODE	ITEM	1-20 PC PRICE
06 22 213	3/4" 4 x 8 RC White Maple C/2 UV filled 2 sides Veneer Core with MDF Crossbands	\$ 64.00
06 22 413	3/4" 4 x 8 PS White Maple A/1 SM+N PS White Backs Veneer Core with MDF Crossbands	\$ 83.35
06 22 973	19mm 4 x 8 PS White Maple A/2 PS Backs IMPORT *FSC* Veneer Core with MDF Crossbands	\$ 67.50
07 22 413	3/4" 4 x 8 PS Walnut A/1 SM+N PS Backs Veneer Core with MDF Crossbands	\$ 93.65
07 22 973	19mm 4 x 8 PS Walnut A/1 PS Backs IMPORT *FSC* Veneer Core with MDF Crossbands	\$ 77.00
09 22 413	3/4" 4 x 8 PS Cherry A/1 SM+N PS Backs Veneer Core with MDF Crossbands	\$ 94.15
09 22 979	19mm 4 x 8 PS Cherry A/1 PS Backs IMPORT *FSC* Veneer Core with MDF Crossbands	\$ 69.00

The result is a panel that provides the smoothness of a composite core with the lighter weight and strength of a veneer core.

Pricing good through August 31, 2011 as supplies last.

***D.R.I.V.E.*™ Dedication • Resource • Inventory • Value-added • Experience**

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.

AC SUPERPLY PLYWOOD

Stocked by Aetna Plywood

Roseburg's Superior Sanded Plywood Panel

SuperPly is a proprietary grade plywood panel designed for superior performance and appearance. It is perfect for all traditional sanded plywood panel applications.

Visual Properties

SuperPly maintains an ultra-smooth plug-free face unlike other sanded fir or southern pine plywood panels. SuperPly's imported face veneer offers a fine-grain pattern that minimizes checking and splitting and has color consistency that provides for ideal painting and finishing.

Strong, Durable Sanded Plywood Panel

As a proprietary performance-based panel, SuperPly meets the same criteria as exterior sanded panels under U.S. National Standards PS 1-07. The panel has exceptional strength and stiffness for wide range of uses.

Many options in stock

	4 x 8'	4 x 10'
1/4"	✓	
11/32"	✓	
15/32"	✓	✓
23/32"	✓	✓
31/32"	✓	✓

Key Advantages

- Proprietary plywood panel intended as sanded substitute
- Excellent machinability, paintability
- Fewer and smaller internal voids
- Ultra-smooth sanded face
- Can contribute to achieving LEED credits
- NAUF (No added urea formaldehyde)

D.R.I.V.E. *Dedication • Resource • Inventory • Value-added • Experience*

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.

STOCK LUMBER ITEMS

Specializing in Northern & Appalachian Hardwoods

White Ash	4/4	5/4	6/4	8/4		
White Pine <i>Northern Knotty and Clear</i>	4/4	5/4	6/4	8/4		
Poplar	4/4	5/4	6/4	8/4	10/4	12/4
Hickory <i>Calico, Brown and White</i>	4/4					
Red Oak <i>Rift and Quarter Sawn</i>	4/4	5/4	6/4	8/4	10/4	
Hard White Maple <i>1 & 2 White, #1 common and Unselected Natural</i>	4/4	5/4	6/4	8/4	10/4	12/4
American Walnut	4/4	5/4	6/4	8/4	10/4	
Mahogany	4/4	5/4	6/4	8/4	10/4	12/4
Khaya and Sapele						
American Cherry	4/4	5/4	6/4	8/4	10/4	
White Paper Birch	4/4					
Yellow Birch	4/4	5/4				
White Oak <i>Rift and Quarter Sawn</i>	4/4	5/4		8/4		
Soft White Maple	4/4	5/4	6/4	8/4	10/4	
Western Red Alder <i>Rustic Grade and Superior Clear</i>	4/4	5/4	6/4	8/4		SFI Certified

Cabinet Face Frame

1-3/4" S4S

2-1/2" S4S

3-1/4" S4S

IN STOCK

Soft Maple

Red Oak

Cherry

Red Adler

Don't See Something You Need? — Call Us!

D.R.I.V.E.™ Dedication • Resource • Inventory • Value-added • Experience

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.



DURAFLAKE® | particleboard

IN STOCK at AETNA
Dura Fire-Rated
Dura MR & Dura Plus

passion
for panels

DESIGNED FOR DURABILITY AND PERFORMANCE

When looking for a premium industrial particleboard for your demanding applications, Duraflake® from Flakeboard performs. Our unique three-layer panel construction process produces exceptionally smooth faces for a wide range of quality finishes.

Choose from:

- Duraflake® for industrial end uses, including cabinets, fixtures and furniture components
- Duraflake® FR (fire-rated) a UL® approved, Class A/Class 1 fire-rated particleboard for safety code and architectural specified projects
- Duraflake® MR (moisture resistant), an interior, moisture-resistant panel that is ideal for environments with high humidity or incidental moisture

In Stock*

- Duraflake® Custom is a versatile, cost-effective product well-suited for general applications.
- Duraflake® High Density for exceptional panel milling and shaping requirements
- Duraflake® Plus for more demanding industrial applications (meets M-3 grade specifications)
- Duraflake® Underlayment, a favorite with builders and do-it-yourselfer

In Stock*

Duraflake® Particleboard Specification

Grade	Duraflake®	Duraflake® FR		Duraflake® MR	Duraflake® Custom
Thickness (in)*	3/8 - 1 1/8	3/8 - 3/4	1 3/16 - 1 1/2	3/8 - 1 1/8	3/8 - 1 3/16
Specification	ANSI M-2	Class A/Class 1 Flame Spread	Class A/Class 1 Flame Spread	ANSI M-3	ANSI M-S
Density (pcf)	42 - 45	47 - 50	44 - 47	45 - 48	40 - 43
MOR (psi)	1,885	1,600	1,600	2,400	1,595
MOE (psi)	290,100	300,000	250,000	400,000	246,600
Internal Bond (psi)	58	80	60	80	52
Face Screw Hold (lb)	202	250	250	250	180
Edge Screw Hold (lb)	180	225	175	225	157
Linear Expansion (%)	0.40	0.40	0.35	0.35	0.40
Thickness Tolerance (in)	+/- .005	+/- .005	+/- .005	+/- .005	+/- .005
Length and Width (in)	+/- 1/16	+/- 1/16	+/- 1/16	+/- 1/16	+/- 1/16
Squareness (in)	+/- 1/8	+/- 1/8	+/- 1/8	+/- 1/8	+/- 1/8

Grade	Duraflake® Plus			Duraflake® Underlayment
Thickness (in)*	3/8 - 3/4	1 3/16 - 1 3/16	1 1/4 - 1 5/8	3/8 - 3/4
Specification	ANSI M-3	ANSI M-3	ANSI M-2	ANSI PBU
Density (pcf)	45 - 48	45 - 48	45 - 47	40
MOR (psi)	2,400	2,400	2,103	1,600
MOE (psi)	400,000	400,000	326,000	250,000
Internal Bond (psi)	80	80	65	60
Face Screw Hold (lb)	250	250	225	N/A
Edge Screw Hold (lb)	225	225	202	N/A
Linear Expansion (%)	0.35	0.35	0.35	0.35
Thickness Tolerance (in)	+/- .005	+/- .005	+/- .005	+/- .005
Length and Width (in)	+/- 1/16	+/- 1/16	+/- 1/16	+/- 1/16
Squareness (in)	+/- 1/8	+/- 1/8	+/- 1/8	+/- 1/8

* Metric thickness available. The above properties are based on averages of normal production. ** Please contact your Sales Representative for thickness standards and availability.

- Product suitability for a particular application is the responsibility of the fabricator or end user
- Complies with CPA EPPS 3-08 and CCR 93120.2 (California ARB Composite Wood ATCM Phase 2 Formaldehyde Emission Limits)
- Material Safety Data Sheets are available upon request
- All panels are approved for use in interior, non-structural applications
- Contains 100% Recycled/Recovered Wood Content
- Duraflake® conforms to both ANSI A208.1-2009 and HUD 24 CFR Part 3280. Duraflake® Underlayment conforms to formaldehyde emission requirements for particleboard in ANSI A208.1-2009 Table B and HUD 24 CFR Part 3280.

STORAGE AND HANDLING

Duraflake® particleboard products should never be stored or used outdoors. The indoor storage area should be clean, dry, well ventilated, and free of dust, dirt or particles that could contaminate the particleboard. Store flat on stickers on a level, hard, dry surface. Constant relative humidity and temperature should be maintained. Before use, allow to stabilize to the same conditions as are expected after the panel is installed. Condition 48 to 72 hours prior to lamination. For more information, see Composite Panels Association Technical Bulletin: Storage and Handling of Particleboard and MDF.

CALIFORNIA PROPOSITION 65 REQUIREMENT

Warning: Drilling, sawing, sanding or machining wood products generates wood dust, a substance known to the State of California to cause cancer. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection.



CPA-3-08 Specification
California ARB Approved
Third Party Certifier TPC-1

R20110301

DURAFLAKE® | particleboard

www.flakeboard.com 1.800.268.9830

OLON

It all comes together



VINYL-CLAD DRAWER BLANKS

Improve Your Quality • Cut Your Costs



The Vinyl-Clad Advantage


- Vinyl is fully wrapped 360° around the drawers into the groove
- Moisture and stain resistant
- Reduced labour costs
- Durable surface wipes clean in seconds
- Avoids time-consuming expensive finish application
- No edgebanding
- Snag-free interiors
- Crisp, professional look
- No groove routing required

SPECIFICATIONS

Length 8'
 Thickness 1/2"
 Height 3", 4", 5", 5 1/2", 6", 7", 8", 9 1/16", 10"
 Colours **White (Std.)**, Oak, Dark Maple, Black, Sycamore, Alder, White and Dark Maple Polypropylene



In-Stock Now!



PRODUCT CODE	PCS / BOX	DESCRIPTION	SIZE	1 BOX	2 BOXES
15 14 760	20	White Vinyl Drawer Blanks	4" x 96"	\$4.69/pc	\$4.39/pc
15 14 764	10	White Vinyl Drawer Blanks	6" x 96"	\$7.21/pc	\$6.76/pc
15 14 765	10	White Vinyl Drawer Blanks	8" x 96"	\$9.33/pc	\$8.75/pc
15 14 766	10	White Vinyl Drawer Blanks	10" x 96"	\$11.56/pc	\$10.84/pc
15 14 768	20	Dark Maple Vinyl Drawer Blanks	4" x 96"	\$5.31/pc	\$4.98/pc
15 14 769	10	Dark Maple Vinyl Drawer Blanks	6" x 96"	\$8.17/pc	\$7.66/pc
15 14 773	10	Dark Maple Vinyl Drawer Blanks	8" x 96"	\$10.57/pc	\$9.91/pc
15 14 774	10	Dark Maple Vinyl Drawer Blanks	10" x 96"	\$13.14/pc	\$12.32/pc

Pricing good through August 31, 2011 as supplies last.

D.R.I.V.E.™ Dedication • Resource • Inventory • Value-added • Experience

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.

SHELVING IN STOCK

Thermofused Melamine on Particleboard Core

Shelving — PVC 1 long edge		Bundle
44 01 200	3/4" 12 x 97 White 2 sides	48
44 01 201	3/4" 16 x 97 White 2 sides	48
44 15 200	3/4" 12 x 97 Hardrock Maple 2 sides	48
44 15 201	3/4" 16 x 97 Hardrock Maple 2 sides	48
44 20 200	3/4" 12 x 97 Sable Glow 2 sides	48
44 20 201	3/4" 16 x 97 Sable Glow 2 sides	48

Verticals — 32mm drilling 5mm holes, PVC 1 long edge

44 01 202	3/4" 12 x 96 White 2 sides	36
44 01 203	3/4" 16 x 96 White 2 sides	36
44 15 202	3/4" 12 x 96 Hardrock Maple 2 sides	36
44 15 203	3/4" 16 x 96 Hardrock Maple 2 sides	36
44 20 202	3/4" 12 x 96 Sable Glow 2 sides	36
44 20 203	3/4" 16 x 96 Sable Glow 2 sides	36

Hardwood Plywood on Veneer Core

Shelving — Veneer 1 long edge

05 99 001	3/4" 11.75 x 96 Rotary Red Oak 2 sides	36
05 99 003	3/4" 15.75 x 96 Rotary Red Oak 2 sides	36
06 99 001	3/4" 11.75 x 96 Natural Birch 2 sides	36
06 99 003	3/4" 15.75 x 96 Natural Birch 2 sides	36
06 99 006	3/4" 11.75 x 96 Natural Maple 2 sides	36
06 99 008	3/4" 15.75 x 96 Natural Maple 2 sides	36
09 99 001	3/4" 11.75 x 96 Plain Sliced Cherry 2 sides	36
09 99 003	3/4" 15.75 x 96 Plain Sliced Cherry 2 sides	36

Verticals — 32mm drilling 5mm holes, Veneer 1 long edge

05 99 002	3/4" 11.75 x 96 Rotary Red Oak 2 sides	36
05 99 004	3/4" 15.75 x 96 Rotary Red Oak 2 sides	36
06 99 002	3/4" 11.75 x 96 Natural Birch 2 sides	36
06 99 004	3/4" 15.75 x 96 Natural Birch 2 sides	36
06 99 007	3/4" 11.75 x 96 Natural Maple 2 sides	36
06 99 009	3/4" 15.75 x 96 Natural Maple 2 sides	36
09 99 002	3/4" 11.75 x 96 Plain Sliced Cherry 2 sides	36
09 99 004	3/4" 15.75 x 96 Plain Sliced Cherry 2 sides	36

No Broken Bundles

D.R.I.V.E.™ *Dedication • Resource • Inventory • Value-added • Experience*

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.

WILSONART SPECIALS

COMMODITY-VALUE LAMINATE

Aetna's "everyday low pricing" will reduce your costs!

Your everyday low pricing	Vertical Grade 4' x 8'	Standard Grade — all sizes
1–20 pieces	\$.74 psf	\$.84 psf
21–99 pieces	\$.70 psf	\$.80 psf
100+ pieces	\$.67 psf	\$.76 psf

You can even "mix and match" colors, sizes, and grades for lowest pricing

Wild Cherry 7054-60	Fusion Maple 7909-60	Kensington Maple 10776-60
Frosty White 1573-60	Designer White D354-60	Black 1595-60
Antique White 1572-60	Fashion Grey D381-60	Almond D30-60
Graphite Nebula 4623-60	Grey Nebula 4622-60	Limber Maple 10734-60

BASIC—VALUE LINER/LAMINATE

Our BASIC-Laminates are also discounted. Now is time to "stock up" on the 5 solid color liner/laminate options.



1–24 pcs @ 39 cents psf
 25–49 @ 35 cents
 50–99 @ 33 cents
 100–399 @ 31 cents
 400 pc skid @ 29 cents

(White, Bright White, Black, Almond and Grey)

Pricing good through August 31, 2011 as supplies last.

D.R.I.V.E.™ Dedication • Resource • Inventory • Value-added • Experience

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.



Wilsonart® Adhesives



GLUE LIGHT SPECIAL

Professional Grade Canisterized Contact, #701 Clear

- Self contained for easy use, fast clean-up
- Contains no Methylene Chloride
- High Solids
- High bond strength
- Fast Drying



Small Canister = \$ 254.99

Medium Canister = \$1025.99

Large Canister = \$1705.29

Pricing good through July 29, 2011 as supplies last.

D.R.I.V.E.™ *Dedication • Resource • Inventory • Value-added • Experience*

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.