




1401 St. Charles Road
Maywood, IL 60153



SEPTEMBER VALUES FROM



Pricing good through 9/30/11 or while supplies last.



TFM | thermally fused melamine

New Designs!!

In Stock!!



Mochatini

WF296
Suede Finish



Aria

WF340
AuthenTICK Finish



Noce Vettore

WF301
AuthenTICK Finish



Zambukka

WF226
AuthenTICK Finish



Vanilla Stix

WF294
Suede Finish

These designs work well for closets, home office or commercial environment.

In-Stock 3/4" 4 x 8 Melamine 2 sides

STOCK LUMBER ITEMS

Specializing in Northern & Appalachian Hardwoods

White Ash	4/4	5/4	6/4	8/4		
White Pine <i>Northern Knotty and Clear</i>	4/4	5/4	6/4	8/4		
Poplar	4/4	5/4	6/4	8/4	10/4	12/4
Hickory <i>Calico, Brown and White</i>	4/4					
Red Oak <i>Rift and Quarter Sawn</i>	4/4	5/4	6/4	8/4	10/4	
Hard White Maple <i>1 & 2 White, #1 common and Unselected Natural</i>	4/4	5/4	6/4	8/4	10/4	12/4
American Walnut	4/4	5/4	6/4	8/4	10/4	
Mahogany	4/4	5/4	6/4	8/4	10/4	12/4
Khaya and Sapele						
American Cherry	4/4	5/4	6/4	8/4	10/4	
White Paper Birch	4/4					
Yellow Birch	4/4	5/4				
White Oak <i>Rift and Quarter Sawn</i>	4/4	5/4		8/4		
Soft White Maple	4/4	5/4	6/4	8/4	10/4	
Western Red Alder <i>Rustic Grade and Superior Clear</i>	4/4	5/4	6/4	8/4		SFI Certified

Cabinet Face Frame

Soft White Maple

25/32 x 1-3/4" S4S	-	\$.53/LF
25/32 x 3-1/4" S4S	-	\$.90/LF
25/32 x 3-1/2" S4S	-	\$.93/LF
25/32 x 5-9/16" S4S	-	\$ 1.35/LF
25/32 x 7-3/16" S4S	-	\$ 1.88/LF

* Random Lengths * Select & Better Grade



Don't See Something You Need? — Call Us!

Pricing good through September 30, 2011 as supplies last.

***D.R.I.V.E.*™ Dedication • Resource • Inventory • Value-added • Experience**

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.

Advantages

- Extremely light weight for easier handling
- Light color
- Consistent density profile
- Extra smooth sanding
- Lower tool wear
- Reduced finished good transportation costs

Applications

- Furniture
- Mouldings
- Picture frames
- Doors

Thicknesses (mm)	Format (feet)
12 - 15 - 18 - 20 - 25 - 30	4x8 - 5x8 - 4x12 - 5x12
38 - 45 - 50	

In Stock

- 12mm 4x8 Ultralite MDF
- 15mm 4x8 Ultralite MDF
- 18mm 4x8, 5x8, 4x10, 5x12 Ultralite MDF
- 25mm 4X8 Ultralite MDF
- 32mm 4X8 Ultralite MDF
- 38mm 4X8 Ultralite MDF
- 45mm 4X8 Ultralite MDF
- 50mm 4X8 Ultralite MDF



- Lightest MDF panel available
- Beautiful consistent-light color
- Most extensive inventory in the Midwest

Trupan Ultralight

Trupan Ultralight MDF is specially engineered for weight sensitive applications. The product provides a smooth, flawless surface and a smooth density profile. Ultralight is an ideal choice for millwork and lamination applications where finished product weight is a concern. Trupan Ultralight's weight saving formulation translates directly into material handling and freight cost savings. The product is offered in thicknesses up to 2", greatly increasing the variety of available applications. Trupan Ultralight Panels feature an average density of 32 LB/Ft³.



FIBREX® | thin high density fiberboard

THE VERSATILE PERFORMER THAT'S MADE TO LAST

When it comes to versatility and performance, FIBREX® thin high density fiberboard from Flakeboard offers the best of both worlds. Utilizing continuous press technology, we're able to offer one of the widest selections of quality, sizes and finishes you'll find anywhere.

Various grades available:

- FIBREX® (standard) **In Stock***
- FIBREX® VESTA (no added urea-formaldehyde resin) **In Stock***
- FIBREX® LF (low formaldehyde, California ARB Phase II Compliant) **In Stock***
- FIBREX® FR* (fire-rated door skin)
- FIBREX® PG (print finish/wet coatings grade)
- FIBREX® Plus (high density)

* FIBREX® FR used in conjunction with a Georgia Pacific mineral core is certified for use as a cross band with wood veneer faces in 20 to 90 minute neutral pressure and positive pressure fire rated doors (single swing and pairs (standard and double egress)) and complies with UBC 7-2-1994, UBC 7-2-1997, CAN4 S104, NFPA 252, UL10B and UL10C standards.

Flakeboard FIBREX® fiberboard offers:

- A broad range of thicknesses (1.6mm to 6.35mm)
- A selection of widths (48" to 50", 59" to 62") and lengths (72" to 99.5", 101" to 148")
- Hundreds of finishes, including paint, decorative paper, TFM (thermally fused melamine) and direct print
- Specialty options such as cut-to-size and pegging

Property	Thickness ¹	FIBREX®, FIBREX® VESTA, and FIBREX® PG Average Values	FIBREX® LF Average Values	FIBREX®, FIBREX® VESTA, FIBREX® PG and FIBREX® LF Specifications	FIBREX® Plus and FIBREX® FR Average Values	FIBREX® Plus and FIBREX® FR Specifications
Density (lbs/ft ³)**	< 0.118"	56.8	57.4	>54.3	61.8	>60.0
	0.118" to 0.154"	56.2	56.8	>53.7	61.2	>60.0
	> 0.154"	56.2	56.2	>53.0	60.5	>60.0
IB (psi)	< 0.118"	240	290	>150	290	>230
	0.118" to 0.154"	215	270	>150	270	>230
	> 0.154"	185	250	>130	265	>230
MOR (psi)	< 0.118"	6,600	7,100	>5,500	8,500	>6,800
	0.118" to 0.154"	6,500	7,000	>5,400	7,700	>6,800
	> 0.154"	6,200	6,800	>5,000	7,400	>6,800
Moisture Content ¹ (% d.b.)	< 0.118"	5.0	5.1	4 to 9	5.1	4 to 9
	0.118" to 0.154"	5.3	5.1	4 to 9	5.1	4 to 9
	> 0.154"	5.6	5.8	4 to 9	5.8	4 to 9
Linear Expansion ² (%)	All	0.25	0.25	≤ 0.30	0.25	≤ 0.30
Thickness Raw (in)	All	+/- 0.008	+/- 0.008	+/- 0.008	+/- 0.008	+/- 0.008
Thickness Sanded (in)	All	+/- 0.004	+/- 0.004	+/- 0.004	+/- 0.004	+/- 0.004
Length Tolerance (in)	All	+/- 1/8	+/- 1/8	+/- 1/8	+/- 1/8	+/- 1/8
Width Tolerance (in)	All	+/- 1/16	+/- 1/16	+/- 1/16	+/- 1/16	+/- 1/16
Squareness Tolerance (in)	All	+/- 5/32	+/- 5/32	+/- 5/32	+/- 5/32	+/- 5/32
Formaldehyde Emissions ³ (ppm)	All	0.15 ⁴	0.09 ⁵	FIBREX® 0.21, FIBREX® VESTA 0.21, FIBREX® PG ⁴ 0.21, FIBREX® LF ⁵ 0.13		

** Metric values available. The above properties are based on averages of normal production at time of shipment. Non-specified physical properties may be available upon request. Note that thickness¹ are quoted in the unsanded state.

¹ Dry basis at 65% RH, 20° C. Tested in accordance with ASTM D 1037-99 section 6 and 121. The moisture of the panel will change with ambient conditions.

² Linear expansion measured between 50% and 80% RH in accordance with ASTM D 1037-99.

³ Tested in accordance with ASTM E 1333-96 at 0.26 m²/m³ (0.08 ft²/ft³) loading ratio.

⁴ Complies with CPA EPPS 3-08, ANSI A208.2-2009, CCR 93120.2 (California ARB Composite Wood ATCM) Phase 1, IKEA MAT-IOS-0003 version AA-10899-8 Table 2.2 P1 Formaldehyde Emission Limits.

⁵ Complies with CPA EPPS 3-08, ANSI A208.2-2009, CCR 93120.2 (California ARB Composite Wood ATCM) Phase 1 and Phase 2, IKEA MAT-IOS-0003 version AA-10899-8 Table 2.2 P1 AND P2 Formaldehyde Emission Limits.

- Look for FSC® certified products
- Product suitability for a particular application is the responsibility of the fabricator or end user
- Material Safety Data Sheets are available upon request
- All panels are approved for use in interior, non-structural applications
- Contains 100% Recycled/Recovered Wood Content

CALIFORNIA PROPOSITION 65 REQUIREMENT

Warning: Drilling, sawing, sanding or machining wood products generates wood dust, a substance known to the State of California to cause cancer. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection.



FIBREX® | thin high density fiberboard

www.flakeboard.com 1.800.268.9830

R20110802



PLYWOOD

FROM AETNA PLYWOOD SPECIAL BUY GIVES YOU SPECIAL PRICING

ITEM	DESCRIPTION	40 PC MIX PRICE*	120 PC MIX PRICE
05 22 431	3/4" 4 X 8 RC Red Oak B/2 VC	\$39.50 ea.	\$38.40 ea.
06 22 541	3/4" 4 X 8 RC Birch B/2 VC	\$42.25 ea.	\$41.00 ea.
06 22 584	3/4" 4 X 8 RC Maple B/2 VC	\$39.20 ea.	\$38.00 ea.

These panels meet the HPVA Grade for "B" Faces.
The Quality ranges from medium to low "B" Grade.

* 40 pc units

**Prices good
while supplies last**

Pricing good through September 30, 2011 as supplies last.

***D.R.I.V.E.*™ Dedication • Resource • Inventory • Value-added • Experience**

**FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515
FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.**

INVENTORY SURPLUS SPECIALS

Any combination of 20 pcs or more!

ITEM	DESCRIPTION	PCS	PRICE*
White Birch			
06 22 241	3/4" 4 X 8 RC White Birch C/C PBC Stained Light 2 Sides	31	\$48.00 ea.
06 22 242	3/4" 4 X 8 RC White Birch C/C PBC Stained Medium 2 Sides	48	\$54.00
06 22 605	3/4" 4 X 8 RC White Birch WPF PBC	75	\$44.00
06 22 610	3/4" 4 X 8 RC White Birch B/1 WPF Shop PB	26	\$31.00
White Maple			
06 22 603	3/4" 4 X 8 RC White Maple B/1 WPF PBC Shop	50	\$47.00
06 22 606	3/4" 4 X 8 White Maple A/1 WPF PBC	52	\$43.00
06 22 978	18mm 4 X 8 RC White Maple B/2 VC	45	\$41.00
Walnut			
07 08 428	1/4" 4 X 8 PS Walnut A/4 VC Shop	85	\$32.00
07 22 429	3/4" 4 X 8 PS Walnut A/1 VC Shop	22	\$76.00
Hickory			
09 08 456	1/4" 4 X 8 PS Hickory A/4 VC Shop	38	\$30.00
Poplar			
09 12 479	3/8" 4 X 8 Poplar Mill Cert.	81	\$7.00
Basswood			
09 14 515	1/2" 4 X 8 Basswood B/B VC	55	\$31.00
Khaya			
09 08 491	1/4" 4 X 8 PS Khaya A/4 VC Shop	16	\$28.50
09 22 236	3/4" 4 X 8 PS Khaya B/1 VC UV 2 Sides	97	\$69.00
Knotty Pine			
09 08 447	1/4" 4 X 8 PS Knotty Pine A/4 VC Shop	9	\$29.00
09 22 461	3/4" 4 X 8 PS Knotty Pine B/4 MDF Shop	33	\$17.00
09 22 465	3/4" 4 X 8 PS Knotty Pine A/4 MDF	37	\$42.50

* Special pricing while supplies last.

* Any combination of 20 pcs or more.

Pricing good through September 30, 2011 as supplies last.

***D.R.I.V.E.*™ Dedication • Resource • Inventory • Value-added • Experience**

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.

MICORE DOES IT ALL!

Micore 300 Board is a superior substrate that offers outstanding resilience, excellent machinability, high “k” factor, heavy density and best surface hardness of any Micore board. Its smooth surface, particularly when sanded and coated, laminates easily with various finish materials such as vinyl, fabrics, and steel. It readily accepts water- or solvent-based adhesives.

Micore 300 is:

- More than 50% lighter than Gypsum panels and almost 50% lighter than particle board
- Better than Gypsum panels in workability and sound absorption
- Better than particle board and other wood fiber boards for flame spread index* and sound absorption

*Micore 300 meets Class A Burning Characteristics per ASTM EB4 (Flame Spread index of 25 and Smoke Developed Index of 20).

Micore 300 improves the quality and performance of applications such as:

- Fabric and vinyl-covered wall panels
- Office dividers
- Chalk boards and many other applications
- Tackboards

Aetna now stocks Micore 300 in the following sizes:

3/8" 48 x 96

1/2" 48 x 96

1/2" 48 x 120

7/16" 48 x 120

3/4" 48 x 96

SEPTEMBER SPECIAL

CODE	ITEM	UNIT SIZE	PIECES	UNITS
17 14 432	1/2" 4 x 8 Micore 300	80	\$22.00 ea	\$ 20.00 ea.
17 22 717	3/4" 4 x 10 Micore 300	50	\$32.85 ea	\$ 30.00 ea.
17 14 431	1/2" 4 x 8 Micore 300 SHOP	29 pcs		\$ 13.00 ea.

Pricing good through September 30, 2011 as supplies last.

***D.R.I.V.E.*™ Dedication • Resource • Inventory • Value-added • Experience**

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.

WILSONART SPECIALS

NOW YOU SEE IT — NOW YOU DON'T

WILSONART BRAND MARKER BOARD LAMINATE

- Wilsonart Brand Marker Board Laminate is the standard marker board used by many of the office furniture manufacturers.
- Marker Board Laminate **requires no special tools**, unlike epoxy or porcelain products and it **weighs much less**. Easier to work and fabricate than other products
- Marker Board Laminate is **much less expensive** than porcelain products. You can use conventional contact adhesive to adhere to your substrates
- Marker Board Laminate **will eliminate potentially hazardous chalk dust and is GREENGUARD Certified**.
- The finish is unique for this application, much better than gloss HPL, or melamine, or hardboard. **You will see No Ghosting and NO Halos as with many competing options.**
- You can use Marker Board Laminate in office furniture systems, corporate meeting rooms, hospitals, day care centers, schools, and planning centers.

Vertical Grade #336, 4' x 8' sheets, Frosty White 1573-9

\$2.33 p.s.f.

COMMODITY-VALUE LAMINATE

Aetna's "everyday low pricing" will reduce your costs!

Your everyday low pricing	Vertical Grade 4' x 8'	Standard Grade — all sizes
1–20 pieces	\$.74 psf	\$.84 psf
21–99 pieces	\$.70 psf	\$.80 psf
100+ pieces	\$.67 psf	\$.76 psf

You can even "mix and match" colors, sizes, and grades for lowest pricing

Wild Cherry 7054-60	Fusion Maple 7909-60	Kensington Maple 10776-60
Frosty White 1573-60	Designer White D354-60	Black 1595-60
Antique White 1572-60	Fashion Grey D381-60	Almond D30-60
Graphite Nebula 4623-60	Grey Nebula 4622-60	Limber Maple 10734-60

Pricing good through September 30, 2011 as supplies last.

D.R.I.V.E.™ Dedication • Resource • Inventory • Value-added • Experience

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.

\$25⁵⁰
per stick

make a statement

Choose the "Wilsonart Look" with No Extended lead time.

65 of the Hottest selling Countertops can be upgraded with the Industry's BEST BEVEL EDGE Program

Why PolyBak?

Because it's the backer that will save you money *without* sacrificing performance.

Polybak is a Kraft linerboard balancing backer sheet priced to compete with similar products on the market, but with crucial differences (thanks to proprietary polymer technology) that provide **indefinite shelf life** and enhance the performance of the finished product.

Polybak is the only product of its type that contains **no added Formaldehyde**.

Polybak is highly **moisture resistant**, improving substrate balance and greatly reducing the potential for product warping.

Polybak is extremely flexible, lending itself to a greater variety of applications and eliminating waste through breakage.

"Try PolyBak and you'll never switch back"



Qty.	10 - 14 ea	36¢ psf
	15 - 24	31¢ psf
	25 - 49	28¢ psf
	50 - 99	26¢ psf
	100+	24¢ psf

← **WOW!!**

As Low As
26¢
per square foot

WILSONART "BASIC-VALUE" HPL SPECIALS



# 3173 (1573 Match)	Full Skid/400 each	30¢ psf
# 3195 (1595 Match)	100-399	34¢ psf
# 3154 (D354 Match)	50-99	36¢ psf
# 3130 (D30 Match)	25-49	40¢ psf
# 3181 (D381 Match)	15-24	44¢ psf

Pricing good through September 30, 2011 as supplies last.

D.R.I.V.E.™ Dedication • Resource • Inventory • Value-added • Experience

FOR INFORMATION, CONTACT YOUR AETNA PLYWOOD REPRESENTATIVE AT 708-343-1515

FAX YOUR ORDERS TO (WOOD) 708-343-1616 OR (LAMINATE) 708-343-1333.